



MODERN



CLASSIC

2018



Happiness by it's nature



PLATINUM




AVANGARD

CLASSIC

Thickness: 8 mm
Width: 192.5 mm
Length: 1200 mm
Class: AC 3 - 31



Diba Ceviz



Mediterranean at your home

3010 Diba Ceviz





Elegant steps at your home

3045 Diba Hickory



Diba Hickory

Diba Wind



*Çamsan Flooring adds coziness and
comfort to your life*

3015 Diba Wind





550 Kashmir Teak



Kashmir Teak

Diba Natural Meşe



*We have been inspired by the life
designed for your comfort*

3025 Diba Natural Meşe





1000 Sonsuz Senkronize Lareks



Sonsuz Senkronize Lareks

Diba Light Meşe



Passionate meeting of the patterns

3030 Diba Light Meşe





1510 Bergama Meşe



Bergama Meşe

Gümüş Meşe



535 Gümüş Meşe






711 Macar Meşe

New



Macar Meşe

Diba Dekor





555 Elegant Meşe



Elegant Meşe

Asos Meşe



1505 Asos Meşe





630 Ladin



Ladin

Nevada Meşe



712 Nevada Meşe

New





1500 Milas Meşe



Milas Meşe

Saroz Meşe



703 Saroz Meşe

New





645 Kristal Meşe



Kristal Meşe

Modern Meşe



640 Modern Meşe





702 Batı Çam

New

Batı Çam



Sahil am



701 Sahil am

New



3005 Diba Smart



3040 Diba Meşe



3055 Diba Flair Kestane



3060 Diba C. Coastal Olive




3065 Diba C. Mountain Walnut



MODERN

Thickness: 8 mm
Width: 192.5 mm
Length: 1200 mm
Class: AC 4 - 32
All around with V-groove





705 Prestij Meşe



Prestij Meşe

Abant Meşe



704 Abant Meşe





709 Kafkas Meşe



Kafkas Meşe

Elit Meşe



2015 Elit Meşe





708 Safran Meşe



Safran Meşe

Royal Meşe





706 Mavi Çam



Mavi Çam

Aspendos am



707 Aspendos am





710 Kanyon Meşe



Kanyon Meşe

AVANGARD

Thickness: 10 mm
Width: 145 mm
Length: 1380 mm
Class: AC 4 - 32
All around with V-groove





4500 İtalyan Ceviz



İtalyan Ceviz

Alaska Meşe



4510 Alaska Meşe





4005 Asi Meşe

Asi Meşe



Meriç Meşe



4000 Meriç Meşe





4525 Otantik Meşe



Otantik Meşe

Dalyan Meşe



4010 Dalyan Meşe





4015 Tuna Meşe



Tuna Meşe

Melet Meşe



4515 Melet Meşe





4520 Odeon Meşe



Odeon Meşe

Montana Çam





4535 Safir am

New

Safir am



PLATINUM

Thickness: 10 mm
Width: 192.5 mm
Length: 1380 mm
Class: AC 4 - 32
All around with V-groove





2103 Albero Meşe

New



Albero Meşe

Amerikan Ceviz



2104 Amerikan Ceviz

New





625 Natural Meşe



Natural Meşe

Rustik Meşe





2101 Barok Meşe

New



Barok Meşe

Belgrad Meşe



2102 Belgrad Meşe

New





2100 Soft Meşe

New



Soft Meşe

2018

 **Çamsan**
flooring

CLASSIC



330 - ÇAMSAN KAYIN



550 - KASHMİR TEAK



630 - LADİN



645 - KRİSTAL MEŞE



702 - BATI ÇAM



711 - MACAR MEŞE




1000 - SONSUZ SENKRONİZE LAREKS



535 - GÜMÜŞ MEŞE



555 - ELEGANT MEŞE



640 - MODERN MEŞE



701 - SAHİL ÇAM



703 - SAROZ MEŞE



712 - NEVADA MEŞE



1500 - MİLAS MEŞE

2018

 **Çamsan**
flooring

CLASSIC



1505 - ASOS MEŞE



3000 - DIBA DEKOR



3010 - DIBA CEVİZ



3025 - DIBA NATURAL MEŞE



3040 - DIBA MEŞE



3055 - DIBA FLAIR KESTANE



3065 - DIBA C. MOUNTAIN WALNUT



1510 - BERGAMA MEŞE



3005 - DIBA SMART



3015 - DIBA WIND



3030 - DIBA LIGHT MEŞE



3045 - DIBA HICKORY



3060 - DIBA C. COASTAL OLIVE



705 - PRESTİJ MEŞE




707 - ASPENDOS ÇAM




709 - KAFKAS MEŞE



2005 - ROYAL MEŞE



704 - ABANT MEŞE



706 - MAVİ ÇAM



708 - SAFRAN MEŞE



710 - KANYON MEŞE



2015 - ELİT MEŞE



625 - NATURAL MEŞE



2101 - BAROK MEŞE



2103 - ALBERO MEŞE



615 - RUSTİK MEŞE



2100 - SOFT MEŞE



2102 - BELGRAD MEŞE



2104 - AMERİKAN CEVİZ

2018

 **Çamsan**
flooring

AVANGARD



4000 - MERİÇ MEŞE



4010 - DALYAN MEŞE



4500 - İTALYAN CEVİZ



4510 - ALASKA MEŞE



4520 - ODEON MEŞE



4535 - SAFİR ÇAM



4005 - ASİ MEŞE



4015 - TUNA MEŞE



4505 - MONTANA ÇAM



4515 - MELET MEŞE



4525 - OTANTİK MEŞE


Maintenance of your Flooring and the Details to be Considered:

- Use a vacuum cleaner or soft cordless vacuum cleaner for the daily cleaning of your floor.
- The stains and dirt can be easily cleaned with a slightly damp cloth. Make sure that you well wring out the cloth before wiping your floor.
- For cleaning, it will be enough to add liquid soap only into the cleaning water. We certainly do not recommend that you use some cleaning agents such as chemicals and alcohol for the cleaning
- For your flooring to maintain its initial beauty for many years, we recommend that you lay such materials as mats or carpets on the floor, particularly at the door entrances or in the areas with heavy traffic. It will prevent your floor from being scratched to adhere such soft materials onto the legs of your heavy furniture, which needs to be frequently moved, as felt, rubber, etc.
- Make sure that you have checked with our dealer whether the area where to be floored is suitable for flooring.
- In a space to be decorated, the laminate flooring is the last product to be installed. For installation, the installation of doors and windows and joinery, painting and crown molding works must be completed.
- Please make sure that you have read the instructions for use before starting to use your flooring.

NO	Technical Properties	Method	Performance (Standart)	Unit	
1	Thickness (t)	TS EN 13329 + A1	$\Delta t_{\text{max}} \leq 0,50$, $t_{\text{min}} - t_{\text{max}} \leq 0,50$	mm	
2	Width (W)		$\Delta W_{\text{max}} \leq 0,30$, $W_{\text{min}} - W_{\text{max}} \leq 0,20$	mm	
3	Length and width (l)		$l \geq 1500 : \Delta l \leq 0,5 \text{ mm}$, $l > 1500 : \Delta l \leq 0,3 \text{ mm/m}$	mm	
4	Length and width tolerance (q)		$q_{\text{max}} \leq 0,20$	mm	
5	The accuracy of the surface layer (s)		$S_{\text{max}} \leq 0,30$	mm / m	
6	Surface smoothness of the elements (f)		$f_{\text{min}} \leq \% 0,15$, $f_{\text{max}} \leq \% 0,20$ $f_{\text{min}} \leq \% 0,50$, $f_{\text{max}} \leq \% 1,00$	%	
7	Element spacing (O)		$O_{\text{max}} \leq 0,15$, $O_{\text{min}} \leq 0,20$	mm	
8	Height difference between elements		$h_{\text{min}} \leq 0,10$, $h_{\text{max}} \leq 0,15$	mm	
9	Surface stability	TS EN 13329 + A1 / TS EN 311	$\leq 1,00$	N/mm ²	
10	Swelling	TS EN 13329 + A1	$\leq \% 18$	%	
11	Moisture	TS EN 322	$\% 4 \leq H \leq \% 10$ $H_{\text{min}} - H_{\text{max}} \leq \% 3$	%	
12	Formaldehyde emission	TS 4894 EN 120	E1 için ≤ 8 E2 için $8 < \text{ve} \leq 30$	mg / 100gr	
13	Dimensional changes against content	TS EN 13329 + A1 / TS EN 318	$T_{\text{max}} \leq 9$ $W_{\text{max}} \leq 0,9$	mm	
14	Abrasion resistance	TS EN 13329 + A1	for AC3; ≥ 2000 for AC4; ≥ 4000	cycle	
15	Small balls against resistance	TS EN 13329+A1 / TS EN 438-2	Big Balls $\leq 1000 \text{ mm}$ ise $\leq 1400 \text{ mm}$ ise	Small Balls $\leq 15N$, $\leq 12N$ olmalı.	N/mm
16	Big balls against resistance	TS EN 13329+A1 / TS EN 438-2			
17	Resistance to staining	TS EN 438-2	5 (group 1 ve group 2) 4 (group 3)	Degree	
18	Resistance to cigarette burns	TS EN 438-2	4	Degree	
19	Resistance to effect of furniture	TS EN 425	do not harm for apparent		
20	Resistance to effect of castor chair	TS EN 424	do not change or harm appearance		
21	Appearance, surface defects	TS EN 438-2	inquisition; 1,00 mm / m ² fibers, hairs and scratch; 10 mm / m ² In case each defect occurs on the same plate, then the acceptable defects will be reduced by 50%.		
22	Static pitting	TS EN 433	$\leq 0,01$	mm	
23	Light fastness	TS EN 20105	no bad than 4.	Degree	
		TS EN ISO 105	no bad than 6.		


CLASSIC

PACK	8 PIECE
WITH	192.5 MM
LENGHT	1200 MM
THICKNESS	8.1 MM
1 PIECE	0.231 M2
1 PACK	1.85 M2
PACK-KG	15 +/- KG
1 PALLET	60 PACK
1 PALLET	480 PANEL
1 PALLET	111 M2
1 PALLET KG	845 NET / 850 GROSS
PALLET DIMENSION	1230 X 850 X 1180 MM




PLATINUM

PACK	7 PIECE
WITH	192.5 MM
LENGHT	1380 MM
THICKNESS	10 MM
1 PIECE	0.265 M2
1 PACK	1.86 M2
PACK-KG	18 +/- KG
1 PALLET	56 PACK
1 PALLET	392 PANEL
1 PALLET	104.16 M3
1 PALLET KG	985 NET / 990 GROSS
PALLET DIMENSION	1230 X 850 X 1180 MM





MODERN

PACK	8 PIECE
WITH	192.5 MM
LENGHT	1200 MM
THICKNESS	8 MM
1 PIECE	0.231 M2
1 PACK	1.85 M2
PACK-KG	15 +/- KG
1 PALLET	60 PACK
1 PALLET	480 PANEL
1 PALLET	111 M2
1 PALLET KG	845 NET / 850 GROSS
PALLET DIMENSION	1230 X 850 X 1180 MM



AVANGARD

PACK	8 PIECE
WITH	145 MM
LENGHT	1380 MM
THICKNESS	10 MM
1 PIECE	0.200 M2
1 PACK	1.6 M2
PACK-KG	16 +/- KG
1 PALLET	60 PACK
1 PALLET	480 PANEL
1 PALLET	96 M2
1 PALLET KG	905 NET / 910 GROSS
PALLET DIMENSION	1400 X 800 X 1350 MM



www.camsanparke.com





www.camsanparke.com


Manufacturer

 **Çamsan**
entegre

2. Organize Sanayi Bölgesi Hendek / Sakarya
T: 0264 654 58 18 Pbx F: 0264 654 58 15-16
E: marketing@camsan.com

0850 201 40 40

Export Department

 **Çamsan**
entegre

Büyükdere Cad. Emektar Sok. No: 4
4. Levent / İstanbul
T: 0212 284 62 67 F: 0212 284 62 70
E: marketing@camsan.com